

IX-5810 Digital and IX-5910 IP Telephone



IX-5930 IP Telephone



Phone Features

PHONE TYPE	IX-5810	IX-5800	IX-5910	IX-5930
General Availability	September 1, 2008	September 1, 2008	December 1, 2008	December 1, 2008
ECS Software Version	5.00	5.00	5.10	5.10
ECS Hardware	IX-16PSUB-2, IX-8PSUB-2	IX-16PSUB-2, IX-8PSUB-2	IX-MBU	IX-MBU
LCD	7 lines x 24 characters w/ backlight	2 lines x 16 characters	7 lines x 24 characters w/ backlight	15 lines x 24 characters w/ backlight
Display Keys	10	0	10	30
Feature Keys	26 plus optional 8ELK	9 plus optional 9ELK	26 plus optional 8ELK	30
Bluetooth Headset Interface	Optional	Not Available	Optional	Optional
Notable Features	<ul style="list-style-type: none"> •Paperless Key Label Design •Integrated Directory •Improved Call Log •Improved Forwarding •Improved Conferencing •Omega-Voice VMI (IX-4EVMC) Menu Integration •Ticker Field Display Feature •TOL UC Integration from LCD (V 5.10) 	<ul style="list-style-type: none"> •Improved Conferencing •Ticker Field Display 	<ul style="list-style-type: none"> •Paperless Key Label Design •Integrated Directory •Improved Call Log •Improved Forwarding •Improved Conferencing •Omega-Voice VMI (IX-4EVMC) Menu Integration •Ticker Field Display Feature •Text Web web page integration to LCD •TOL UC Integration from LCD 	<ul style="list-style-type: none"> •100% Paperless Key Label Design •Integrated Directory •Improved Call Log •Improved Forwarding •Improved Conferencing •Omega-Voice VMI (IX-4EVMC) Menu Integration •Ticker Field Display Feature •Text Web web page integration to LCD •TOL UC Integration from LCD
2100 Loop Distance with Optional Station Loop Extender	•Optional	•Optional	•N/A	•N/A